Alabama Prenatal STD Testing

Test (All test must be FDA approved)	Initial Prenatal Visit	Third Trimester	Labor and Delivery (L&D)
Syphilis	All pregnant women	All pregnant women at 28-32 weeks gestation	All pregnant women
HIV	All pregnant women not previously confirmed as HIV infected	All pregnant women at 28-32 weeks gestation not tested during pregnancy, or not previously confirmed as HIV infected	If not tested during pregnancy, or not previously confirmed as HIV infected
Chlamydia	All pregnant women <30 years of age	All pregnant women <30 years of age not tested during pregnancy, or have signs and symptoms of Chlamydia	
Gonorrhea	All pregnant women <30 years of age	All pregnant women <30 years of age not tested during pregnancy, or have signs and symptoms of Gonorrhea	
HBV	All pregnant women		All pregnant women not tested during pregnancy, or have signs and symptoms of hepatitis
HCV	All pregnant women		

No Prenatal Care -Patient Presents at Delivery

Test	Labor and Delivery		
Syphilis	All pregnant women		
HIV	All pregnant women not previously confirmed as HIV infected		
Chlamydia	All pregnant women		
Gonorrhea	All pregnant women		
HBV	All Pregnant women not tested during pregnancy or with signs or symptoms of hepatitis		